

2007 Towing Guide

KEY

(a) Automatic transmission
(m) Manual transmission
(f) 4.88:1 axle ratio
(g) 5.38:1 axle ratio
(n) 3.21:1 axle ratio
(o) 3.23:1 axle ratio
(p) 3.31:1 axle ratio
(q) 3.42:1 axle ratio
(r) 3.55:1 axle ratio
(s) 3.73:1 axle ratio

(t) 3.92:1 axle ratio

(u) 4.10:1 axle ratio

(v) 4.30:1 axle ratio

(w) Vehicle in development at presstime, provisional rating to be finalized at a later date

(x) Trailer brakes required

(y) Vehicle in final development at presstime, rating to be announced at a later date

(z) Factory towing package required

(z*) Heavy-duty trailering package required

(DRW) Dual rear wheel

(TC) Turbocharged

(TD) Turbodiesel

(TDHO) Turbodiesel high output

Unless otherwise listed, tow ratings for 1-ton pickups are the same for single-rear-wheel and dually models. See your dealer for more information.

ACURA

Vehicle	Engine	Tow Limit (LB)
MDX	3.5L V-6	3,500 (z)
MDX	3.5L V-6	4,500 (b,z)

BMW

Vehicle	Engine	Tow Limit (LB)
BMW X5	All	6,000 (x)
BMW X3	3.0L I-6	3,500 (x)

BUICK

Vehicle	Engine	Tow Limit (LB)
Rainier 2WD	4.2L I-6	5,800 (s)
Rainier 2WD	4.2L I-6	6,300 (u)
Rainier 2WD	5.3L V-8	6,700 (s)
Rainier AWD	4.2L I-6	5,600 (s)
Rainier AWD	4.2L I-6	6,100 (u)
Rainier AWD	5.3L V-8	6,600 (s)
Rendezvous	3.5L V-6	3,500 (z)
Terraza	3.9L V-6	3,500 (z)

CADILLAC

Vehicle	Engine	Tow Limit (LB)
Escalade 2WD	6.2L V-8	7,400 (q)
Escalade AWD	6.2L V-8	8,100 (q)
Escalade ESV	6.2L V-8	7,800 (q)
Escalade EXT AWD	6.2L V-8	7,600 (q)
SRX	3.6L V-6	2,000 (s)
SRX	4.6L V-8	4,250 (o)

CHEVROLET/GMC

Vehicle	Engine	Tow Limit (LB)
Acadia	3.6L V-6	4,500 (z)

Chevrolet Avalanche

Avalanche 1500 2WD	5.3L V-8	7,200 (s)
Avalanche 1500 2WD	5.3L V-8	8,000 (u)
Avalanche 1500 2WD	6.0L V-8	8,000 (u)
Avalanche 1500 4WD	5.3L V-8	7,100 (s)
Avalanche 1500 4WD	5.3L V-8	7,800 (u)
Avalanche 1500 4WD	6.0L V-8	7,600 (u)

Chevrolet Colorado/GMC Canyon

Colorado/Canyon 2WD Reg Cab	2.9L I-4	2,200 (m,s)
Colorado/Canyon 2WD Reg Cab	2.9L I-4	3,200 (a,s)
Colorado/Canyon 2WD Reg Cab	3.7L I-5	4,000 (a,s)
Colorado/Canyon 2WD Ext Cab	2.9L I-4	2,100 (m,s)
Colorado/Canyon 2WD Ext Cab	2.9L I-4	3,100 (a,s)
Colorado/Canyon 2WD Ext Cab	3.7L I-5	4,000 (a,s)
Colorado/Canyon 2WD Crew Cab	2.9L I-4	2,900 (a,s)
Colorado/Canyon 2WD Crew Cab	3.7L I-5	4,000 (a,q or s)
Colorado/Canyon 4WD Reg Cab	2.9L I-4	2,100 (m,s or u)
Colorado/Canyon 4WD Reg Cab	2.9L I-4	3,000 (a,s or u)
Colorado/Canyon 4WD Reg Cab	3.7L I-5	4,000 (a,s)
Colorado/Canyon 4WD Ext Cab	2.9L I-4	2,900 (a,s or u)
Colorado/Canyon 4WD Ext Cab	3.7L I-5	4,000 (a,s)
Colorado/Canyon 4WD Crew Cab	3.7L I-5	4,000 (a,s)

Chevrolet Equinox, SSR, Uplander

Equinox	3.4L V-6	3,500
SSR	6.0L V-8	7,800 (a,s)
Uplander	3.9L V-6	3,500 (z)

Chevrolet Express/GMC Savana

Express/Savana 1500 Reg Wheelbase	4.3L V-6	3,900 (a,q)
Express/Savana 1500 Reg Wheelbase	5.3L V-8	6,300 (a,q or s)
Express/Savana 1500 Reg Wheelbase AWD	5.3L V-8	6,100 (a,q or s)
Express/Savana 2500 Reg Wheelbase	4.8L V-8	5,800 (a,s)
Express/Savana 2500 Reg Wheelbase	4.8L V-8	6,800 (a,u)

Express/Savana 2500 Reg Wheelbase	6.0L V-8	7,800 (a,s)
Express/Savana 2500 Reg Wheelbase	6.0L V-8	9,800 (a,u)
Express/Savana 2500 Reg Wheelbase	6.6L V-8 TD	10,000 (a,s)
Express/Savana 3500 Reg Wheelbase	6.0L V-8	7,700 (a,s)
Express/Savana 3500 Reg Wheelbase	6.0L V-8	9,700 (a,u)
Express/Savana 3500 Reg Wheelbase	6.6L V-8 TD	10,000 (s)
Express/Savana 3500 Ext Wheelbase	6.0L V-8	7,400 (a,s)
Express/Savana 3500 Ext Wheelbase	6.0L V-8	9,700 (a,u)
Express/Savana 3500 Ext Wheelbase	6.6L V-8 TD	10,000 (s)

Chevrolet Silverado/GMC Sierra, Light Duty, Conventional/Fifth-Wheel Towing ("Classic")

Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	4.3L V-6	5,000 (a,o,z)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	4.3L V-6	4,000 (m,o)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	4.8L V-8	6,400 (a or z)/ 6,400 (a,o)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	4.8L V-8	7,400 (a,s,z)/ 7,400 (a,s)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	5.3L V-8	7,400 (a,o,z)/ 7,400 (a,o)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	5.3L V-8	8,400 (a,s,z)/ 8,400 (a,s)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	4.3L V-6	4,800 (a,o,z)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	4.3L V-6	3,800 (m,o,z)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	4.8L V-8	6,200 (a,o,z)/ 6,200 (a,o)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	4.8L V-8	7,200 (a,s,z)/ 7,200 (a,s)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	5.3L V-8	7,200 (a,o,z)/ 7,200 (a,o)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	5.3L V-8	8,200 (a,s,z)/ 8,200 (a,s)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.3L V-6	4,600 (a,o,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.3L V-6	3,600 (m,o,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.3L V-6	5,100 (a,s,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.8L V-8	5,900 (a,o,z)/ 5,900 (a,o)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.8L V-8	6,900 (a,s,z)/ 6,800 (a,s)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	5.3L V-8	6,900 (a,o,z)/ 6,800 (a,o)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	5.3L V-8	7,900 (a,s,z)/

2WD Standard Bed		6,800 (a,s)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	6.0L V-8	10,400 (a,u,z)/ 6,900 (a,s,z)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	5.3L V-8	7,000 (a,o,z)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	5.3L V-8	8,000 (a,s,z)
Silverado/Sierra 1500 Ext Cab 2WD Longbed	4.8L V-8	5,800 (a,o,z)/ 5,800 (a,o)
Silverado/Sierra 1500 Ext Cab 2WD Longbed	4.8L V-8	6,800 (a,s,z)/ 6,800 (a,s,z)
Silverado/Sierra 1500 Ext Cab 2WD Longbed	5.3L V-8	6,800 (a,o,z)/ 6,800 (a,o)
Silverado/Sierra 1500 Ext Cab 2WD Longbed	5.3L V-8	7,800 (a,s,z)/ 7,600 (a,s)
Silverado/Sierra 1500 Crew Cab 2WD Standard Bed	6.0L V-8	8,300 (a,s,z)/ 8,300 (a,s)
Silverado/Sierra 1500 Crew Cab 2WD Standard Bed	6.0L V-8	10,300 (a,u,z)/ 10,300 (a,u)
Silverado/Sierra 1500 Crew Cab 2WD Shortbed	5.3L V-8	6,700 (a,o,z)
Silverado/Sierra 1500 Crew Cab 2WD Shortbed	5.3L V-8	7,700 (a,s,z)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	4.3L V-6	5,100 (a,s,z)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	4.3L V-6	4,100 (m,s,z)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	4.8L V-8	7,100 (a,q or s,z)/ 7,100 (a,q or s)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	4.8L V-8	8,100 (a,u,z)/ 7,300 (a,u)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	5.3L V-8	8,100 (a,q or s,z)/ 7,300 (a,q,s or u)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	5.3L V-8	9,100 (a,u,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	4.3L V-6	5,000 (a,s,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	4.3L V-6	4,000 (m,s,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	4.8L V-8	6,900 (a,q or s,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	4.8L V-8	7,900 (a,u,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	5.3L V-8	7,900 (a,q or s,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	5.3L V-8	8,900 (a,u,z)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	4.8L V-8	6,700 (a,q or s,z)/ 6,700 (a,q or s)

Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	4.8L V-8	7,700 (a,u,z)/ 6,900 (a,u)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	5.3L V-8	7,700 (a,q or s,z)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	5.3L V-8	8,700 (a,u,z)/ 6,900 (a,q,s or u)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	6.0L V-8	10,000 (a,u,z)/ 7,900 (a,s)/ 9,900 (a,u)
Silverado/Sierra 1500 Ext Cab 4WD Longbed	4.8L V-8	6,500 (a,q or s,z)/ 6,900 (a,q or s)
Silverado/Sierra 1500 Ext Cab 4WD Longbed	4.8L V-8	7,500 (a,u,z)/ 7,900 (a,u)
Silverado/Sierra 1500 Ext Cab 4WD Longbed	5.3L V-8	7,500 (a,q or s,z)/ 7,900 (a,q or s)
Silverado/Sierra 1500 Ext Cab 4WD Longbed	5.3L V-8	8,500 (a,u,z)/ 8,300 (a,u)
Silverado/Sierra 1500 Ext Cab 4WD Shortbed	5.3L V-8	7,700 (a,q or s,z)
Silverado/Sierra 1500 Ext Cab 4WD Shortbed	5.3L V-8	8,700 (a,u,z)
Silverado/Sierra 1500 Crew Cab 4WD Standard Bed	6.0L V-8	7,900 (a,s,z)
Silverado/Sierra 1500 Crew Cab 4WD Standard Bed	6.0L V-8	9,900 (a,u,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	5.3L V-8	7,400 (a,q or s,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	5.3L V-8	8,400 (a,u,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	6.0L V-8	9,900 (a,u,z)

Chevrolet Silverado/GMC Sierra, Light-Duty, Conventional Towing ("New")

Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	4.3L V-6	4,800 (o,z)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	4.3L V-6	5,300 (s,z)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	4.8L V-8	5,200 (o,z)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	4.8L V-8	7,200 (s,z)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	5.3L V-8	7,200 (q,z)
Silverado/Sierra 1500 Reg Cab 2WD Standard Bed	5.3L V-8	8,200 (s,z)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	4.3L V-6	4,700 (o,z)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	4.3L V-6	5,200 (s,z)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	4.8L V-8	5,000 (o,z)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	4.8L V-8	7,000 (s,z)
Silverado/Sierra 1500 Reg Cab 2WD Longbed	5.3L V-8	7,000 (q,z)

Silverado/Sierra 1500 Reg Cab 2WD Longbed	5.3L V-8	8,000 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.3L V-6	4,300 (o,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.3L V-6	4,800 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.8L V-8	4,700 (o,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	4.8L V-8	6,700 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	5.3L V-8	6,700 (q,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	5.3L V-8	7,700 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	6.0L V-8	8,800 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Standard Bed	6.0L V-8	10,300 (s,z*)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	4.3L V-6	4,400 (o,z)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	4.3L V-6	4,900 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	4.8L V-8	4,800 (o,z)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	4.8L V-8	6,800 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	5.3L V-8	6,800 (q,z)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	5.3L V-8	7,800 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Shortbed	6.0L V-8	8,900 (s,z)
Silverado/Sierra 1500 Ext Cab 2WD Longbed	5.3L V-8	6,500 (q,z)
Silverado/Sierra 1500 Ext Cab 2WD Longbed	5.3L V-8	7,500 (s,z)
Silverado/Sierra 1500 Crew Cab 2WD Shortbed	4.3L V-6	4,600 (o,z)
Silverado/Sierra 1500 Crew Cab 2WD Shortbed	4.3L V-6	6,600 (s,z)
Silverado/Sierra 1500 Crew Cab 2WD Shortbed	5.3L V-8	6,600 (q,z)
Silverado/Sierra 1500 Crew Cab 2WD Shortbed	5.3L V-8	7,600 (s,z)
Silverado/Sierra 1500 Crew Cab 2WD Shortbed	6.0L V-8	8,700 (s,z)
Silverado/Sierra 1500 Crew Cab 2WD Shortbed	6.0L V-8	10,200 (s,z*)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	4.3L V-6	5,100 (s,z)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	4.8L V-8	5,900 (q,z)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	4.8L V-8	7,900 (u,z)
Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	5.3L V-8	7,900 (s,z)

Silverado/Sierra 1500 Reg Cab 4WD Standard Bed	5.3L V-8	8,900 (u,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	4.3L V-6	4,800 (s,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	4.8L V-8	5,900 (q,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	4.8L V-8	7,900 (u,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	5.3L V-8	7,900 (s,z)
Silverado/Sierra 1500 Reg Cab 4WD Longbed	5.3L V-8	8,900 (u,z)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	4.8L V-8	5,500 (q,z)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	4.8L V-8	7,500 (u,z)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	5.3L V-8	7,500 (s,z)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	5.3L V-8	8,500 (u,z)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	6.0L V-8	8,500 (s,z)
Silverado/Sierra 1500 Ext Cab 4WD Standard Bed	6.0L V-8	10,500 (u,z*)
Silverado/Sierra 1500 Ext Cab 4WD Shortbed	4.8L V-8	5,500 (q,z)
Silverado/Sierra 1500 Ext Cab 4WD Shortbed	4.8L V-8	7,500 (u,z)
Silverado/Sierra 1500 Ext Cab 4WD Shortbed	5.3L V-8	7,500 (s,z)
Silverado/Sierra 1500 Ext Cab 4WD Shortbed	5.3L V-8	8,500 (u,z)
Silverado/Sierra 1500 Ext Cab 4WD Longbed	5.3L V-8	7,300 (s,z)
Silverado/Sierra 1500 Ext Cab 4WD Longbed	5.3L V-8	8,300 (u,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	4.8L V-8	5,400 (q,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	4.8L V-8	7,400 (u,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	5.3L V-8	7,500 (s,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	5.3L V-8	8,500 (u,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	6.0L V-8	8,500 (s,z)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	6.0L V-8	10,500 (u,z*)
Silverado/Sierra 1500 Crew Cab 4WD Shortbed	6.2L V-8	8,500 (q,z)

Chevrolet Silverado/GMC Sierra, Heavy-Duty, Conventional/Fifth-Wheel Towing ("Classic")

Silverado/Sierra 2500 HD Reg Cab 2WD Longbed	6.0L V-8	10,500 (u)/ 10,500 (a or m, u)
Silverado/Sierra 2500 HD Reg Cab	8.1L V-8	12,000 (s or u)/

2WD Longbed		14,100 (a or m,s)/ 16,100 (a or m,u)
Silverado/Sierra 2500 HD Reg Cab 2WD Longbed	6.6L V-8 TD	12,000 (s)/ 15,900 (a or m,s)
Silverado/Sierra 2500 HD Ext Cab 2WD Standard Bed	6.0L V-8	10,300 (u)/ 10,300 (a or m,u)
Silverado/Sierra 2500 HD Ext Cab 2WD Standard Bed	8.1L V-8	12,000 (s or u)/ 13,900 (a or m,s)/ 15,900 (a or m,u)
Silverado/Sierra 2500 HD Ext Cab 2WD Standard Bed	6.6L V-8 TD	12,000 (s)/ 15,700 (a or m,s)
Silverado/Sierra 2500 HD Ext Cab 2WD Longbed	6.0L V-8	10,200 (u)/ 10,200 (a or m,u)
Silverado/Sierra 2500 HD Ext Cab 2WD Longbed	8.1L V-8	12,000 (s or u)/ 13,700 (a or m,s)/ 15,700 (a or m,u)
Silverado/Sierra 2500 HD Ext Cab 2WD Longbed	6.6L V-8 TD	12,000 (s)/ 15,500 (a or m,s)
Silverado/Sierra 2500 HD Crew Cab 2WD Standard Bed	6.0L V-8	10,100 (u)/ 10,100 (a or m,u)
Silverado/Sierra 2500 HD Crew Cab 2WD Standard Bed	8.1L V-8	12,000 (s or u)/ 13,600 (a or m,s)/ 15,600 (a or m,u)
Silverado/Sierra 2500 HD Crew Cab 2WD Standard Bed	6.6L V-8 TD	12,000 (s)/ 15,400 (a or m,s)
Silverado/Sierra 2500 HD Crew Cab 2WD Longbed	6.0L V-8	10,000 (u)/ 10,000 (a or m, u)
Silverado/Sierra 2500 HD Crew Cab 2WD Longbed	8.1L V-8	12,000 (s or u)/ 13,500 (a or m,s)/ 15,500 (a or m,u)
Silverado/Sierra 2500 HD Crew Cab 2WD Longbed	6.6L V-8 TD	12,000 (s)/ 15,100 (a or m,s)
Silverado/Sierra 2500 HD Reg Cab 4WD Longbed	6.0L V-8	10,300 (u)/ 10,300 (a or m,u)
Silverado/Sierra 2500 HD Reg Cab 4WD Longbed	8.1L V-8	12,000 (s or u)/ 13,800 (a or m,s)/ 15,800 (a or m,u)
Silverado/Sierra 2500 HD Reg Cab 4WD Longbed	6.6L V-8 TD	12,000 (s)/ 15,600 (a or m,s)
Silverado/Sierra 2500 HD Ext Cab 4WD Standard Bed	6.0L V-8	10,000 (u)/ 10,000 (a or m,u)
Silverado/Sierra 2500 HD Ext Cab 4WD Standard Bed	8.1L V-8	12,000 (s or u)/ 13,600 (a or m,s)/ 15,600 (a or m,u)
Silverado/Sierra 2500 HD Ext Cab 4WD Standard Bed	6.6L V-8 TD	12,000 (s)/1 5,400 (a or m,s)
Silverado/Sierra 2500 HD Ext Cab 4WD Longbed	6.0L V-8	9,900 (u)/ 9,900 (a or m,u)
Silverado/Sierra 2500 HD Ext Cab 4WD Longbed	8.1L V-8	12,000 (s or u)/ 13,400 (a or m,s)/ 15,400 (a or m,u)
Silverado/Sierra 2500 HD Ext Cab 4WD Longbed	6.6L V-8 TD	12,000 (s)/ 14,800 (a or m,s)
Silverado/Sierra 2500 HD Crew Cab 4WD Standard Bed	6.0L V-8	9,800 (u)/ 9,800 (a or m,u)
Silverado/Sierra 2500 HD Crew Cab	8.1L V-8	12,000 (s or u)/

4WD Standard Bed	13,300 (a or m,s)/ 15,300 (a or m,u)	
Silverado/Sierra 2500 HD Crew Cab	6.6L V-8 TD	12,000 (s)/ 14,200 (a or m,s)
4WD Standard Bed		
Silverado/Sierra 2500 HD Crew Cab	6.0L V-8	9,700 (u)/ 9,700 (a or m,u)
4WD Longbed		
Silverado/Sierra 2500 HD Crew Cab	8.1L V-8	12,000 (s or u)/ 13,200 (a or m,s)/ 14,600 (a or m,u)
4WD Longbed		
Silverado/Sierra 2500 HD Crew Cab	6.6L V-8 TD	12,000 (s)/ 13,200 (a or m,s)
4WD Longbed		
Silverado/Sierra 3500 HD Reg Cab	6.0L V-8	10,300 (u)/ 10,300 (a or m,u)
2WD Longbed		
Silverado/Sierra 3500 HD Ext Cab	6.0L V-8	9,800 (u)/ 9,800 (a or m,u)
2WD Longbed		
Silverado/Sierra 3500 HD Ext Cab	8.1L V-8	12,000 (u)/ 15,500 (a or m,u)
2WD Longbed		
Silverado/Sierra 3500 HD Ext Cab	6.6L V-8 TD	12,000 (s)/ 15,300 (a or m,s)
2WD Longbed		
Silverado/Sierra 3500 HD Ext Cab	6.0L V-8	9,700 (u)/ 9,700 (a or m,u)
2WD LB DRW		
Silverado/Sierra 3500 HD Ext Cab	8.1L V-8	12,000 (u)/ 15,300 (a or m,u)
2WD LB DRW		
Silverado/Sierra 3500 HD Ext Cab	6.6L V-8 TD	12,000 (s)/ 15,100 (m,s)/ 16,600 (a,s)
2WD LB DRW		
Silverado/Sierra 3500 HD Crew Cab	6.0L V-8	9,600 (u)/ 9,600 (a or m,u)
2WD Longbed		
Silverado/Sierra 3500 HD Crew Cab	8.1L V-8	12,000 (u)/ 15,300 (a or m,u)
2WD Longbed		
Silverado/Sierra 3500 HD Crew Cab	6.6L V-8 TD	12,000 (s)/ 15,100 (a or m,s)
2WD Longbed		
Silverado/Sierra 3500 HD Crew Cab	6.0L V-8	9,500 (u)/ 9,500 (a or m,u)
2WD LB DRW		
Silverado/Sierra 3500 HD Crew Cab	8.1L V-8	12,000 (u)/ 15,100 (a or m,u)
2WD LB DRW		
Silverado/Sierra 3500 HD Crew Cab	6.6L V-8 TD	12,000 (s)/ 14,900 (m,s)/ 16,400 (a,s)
2WD LB DRW		
Silverado/Sierra 3500 HD Reg Cab	6.0L V-8	10,000 (u)/ 10,000 (a or m,u)
4WD Longbed		
Silverado/Sierra 3500 HD Reg Cab	8.1L V-8	12,000 (u)/ 15,600 (a or m,u)
4WD Longbed		
Silverado/Sierra 3500 HD Reg Cab	6.6L V-8 TD	12,000 (s)/ 15,400 (a or m,s)
4WD Longbed		
Silverado/Sierra 3500 HD Reg Cab	6.0L V-8	9,800 (u)/ 9,800 (a or m,u)
4WD LB DRW		
Silverado/Sierra 3500 HD Reg Cab	8.1L V-8	12,000 (u)/ 15,400 (a or m,u)
4WD LB DRW		
Silverado/Sierra 3500 HD Reg Cab	6.6L V-8 TD	12,000 (s)/ 15,200 (m,s)/ 16,700 (a,s)
4WD LB DRW		
Silverado/Sierra 3500 HD Ext Cab	6.0L V-8	9,600 (u)/ 9,600 (a or m,u)
4WD Longbed		
Silverado/Sierra 3500 HD Ext Cab	8.1L V-8	12,000 (u)/ 15,200 (a or m,u)
4WD Longbed		

Silverado/Sierra 3500 HD Ext Cab	6.6L V-8 TD	12,000 (s)/ 15,000 (a or m,s)
4WD Longbed		
Silverado/Sierra 3500 HD Ext Cab	6.0L V-8	9,400 (u)/ 9,400 (a or m,u)
4WD LB DRW		
Silverado/Sierra 3500 HD Ext Cab	8.1L V-8	12,000 (u)/ 15,000 (a or m,u)
4WD LB DRW		
Silverado/Sierra 3500 HD Ext Cab	6.6L V-8 TD	12,000 (s)/ 14,800 (m,s)/ 16,300 (a,s)
4WD LB DRW		
Silverado/Sierra 3500 HD Crew Cab	6.0L V-8	9,400 (u)/ 9,400 (a or m,u)
4WD Longbed		
Silverado/Sierra 3500 HD Crew Cab	8.1L V-8	12,000 (u)/ 15,000 (a or m,u)
4WD Longbed		
Silverado/Sierra 3500 HD Crew Cab	6.6L V-8 TD	12,000 (s)/ 14,700 (a or m,s)
4WD Longbed		
Silverado/Sierra 3500 HD Crew Cab	6.0L V-8	9,200 (u)/ 9,200 (a or m,u)
4WD LB DRW		
Silverado/Sierra 3500 HD Crew Cab	8.1L V-8	12,000 (u)/ 14,800 (a or m,u)
4WD LB DRW		
Silverado/Sierra 3500 HD Crew Cab	6.6L V-8 TD	12,000 (s)/ 14,500 (m,s)/ 16,000 (a,s)
4WD LB DRW		

Chevrolet Silverado/GMC Sierra, Heavy-Duty, Conventional Towing ("New") Fifth-Wheel TBD

Silverado/Sierra 2500 HD Reg Cab		
2WD Longbed	6.0L V-8	12,900 (s)
Silverado/Sierra 2500 HD Reg Cab		
2WD Longbed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Ext Cab		
2WD Standard Bed	6.0L V-8	12,700 (s)
Silverado/Sierra 2500 HD Ext Cab		
2WD Standard Bed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Ext Cab		
2WD Longbed	6.0L V-8	12,500 (s)
Silverado/Sierra 2500 HD Ext Cab		
2WD Longbed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Crew Cab		
2WD Standard Bed	6.0L V-8	12,500 (s)
Silverado/Sierra 2500 HD Crew Cab		
2WD Standard Bed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Crew Cab		
2WD Longbed	6.0L V-8	12,400 (s)
Silverado/Sierra 2500 HD Crew Cab		
2WD Longbed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Reg Cab		
4WD Longbed	6.0L V-8	12,700 (s)
Silverado/Sierra 2500 HD Reg Cab		
4WD Longbed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Ext Cab		
4WD Standard Bed	6.0L V-8	12,400 (s)
Silverado/Sierra 2500 HD Ext Cab		
4WD Standard Bed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Ext Cab		
4WD Longbed	6.0L V-8	12,200 (s)
Silverado/Sierra 2500 HD Ext Cab		

4WD Longbed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Crew Cab		
4WD Standard Bed	6.0L V-8	12,300 (s)
Silverado/Sierra 2500 HD Crew Cab		
4WD Standard Bed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 2500 HD Crew Cab		
4WD Longbed	6.0L V-8	12,100 (s)
Silverado/Sierra 2500 HD Crew Cab		
4WD Longbed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Reg Cab		
2WD No Bed	6.0L V-8	12,600 (s)
Silverado/Sierra 3500 HD Reg Cab		
2WD No Bed	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Ext Cab 2WD	6.0L V-8	12,200 (s)
Silverado/Sierra 3500 HD Ext Cab 2WD	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Ext Cab		
2WD DRW	6.0L V-8	12,000 (s)
Silverado/Sierra 3500 HD Ext Cab		
2WD DRW	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Crew Cab 2WD	6.0L V-8	12,100 (s)
Silverado/Sierra 3500 HD Crew Cab 2WD	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Crew Cab		
2WD DRW	6.0L V-8	11,800 (u)
Silverado/Sierra 3500 HD Crew Cab		
2WD DRW	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Reg Cab 2WD	6.0L V-8	12,400 (s)
Silverado/Sierra 3500 HD Reg Cab 2WD	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Reg Cab		
2WD DRW	6.0L V-8	12,200 (s)
Silverado/Sierra 3500 HD Reg Cab		
2WD DRW	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Ext Cab 4WD	6.0L V-8	12,000 (s)
Silverado/Sierra 3500 HD Ext Cab 4WD	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Ext Cab		
4WD DRW	6.0L V-8	11,700 (s)
Silverado/Sierra 3500 HD Ext Cab		
4WD DRW	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Crew Cab 4WD	6.0L V-8	11,800 (s)
Silverado/Sierra 3500 HD Crew Cab 4WD	6.6L V-8 TD	TBD (y)
Silverado/Sierra 3500 HD Crew Cab		
4WD DRW	6.0L V-8	11,600 (s)
Silverado/Sierra 3500 HD Crew Cab		
4WD DRW	6.6L V-8 TD	TBD (y)

Chevrolet Tahoe & Suburban, GMC Yukon, Yukon XL, Yukon Denali & Yukon XL Denali, 1500 Series

Suburban/Yukon XL 1500 2WD	5.3L V-8	7,100 (s)
Suburban/Yukon XL 1500 2WD	5.3L V-8	8,100 (u)
Suburban/Yukon XL 1500 2WD	6.0L V-8	8,100 (u)
Suburban/Yukon XL 1500 4WD	5.3L V-8	7,000 (s)
Suburban/Yukon XL 1500 4WD	5.3L V-8	8,000 (u)
Suburban/Yukon XL 1500 4WD	6.0L V-8	7,900 (s)
Suburban/Yukon XL 2500 2WD	6.0L V-8	7,700 (s)
Suburban/Yukon XL 2500 2WD	6.0L V-8	9,700 (u)
Suburban/Yukon XL 2500 2WD	6.6L V-8 TD	TBD (y)
Suburban/Yukon XL 2500 4WD	6.0L V-8	7,500 (s)

Suburban/Yukon XL 2500 4WD	6.0L V-8	9,500 (u)
Suburban/Yukon XL 2500 4WD	6.6L V-8 TD	TBD (y)
Tahoe/Yukon 2WD	4.8L V-8	4,200 (o)
Tahoe/Yukon 2WD	4.8L V-8	6,200 (s)
Tahoe/Yukon 2WD	5.3L V-8	6,200 (q)
Tahoe/Yukon 2WD	5.3L V-8	7,200 (s)
Tahoe/Yukon 4WD	5.3L V-8	6,700 (s)
Tahoe/Yukon 4WD	5.3L V-8	7,700 (u)
Yukon Denali AWD	6.2L V-8	7,900 (a,q)
Yukon XL Denali AWD	6.2L V-8	7,900 (a,q)

Chevrolet TrailBlazer/GMC Envoy

TrailBlazer/Envoy 2WD	4.2L I-6	5,400 (a,q)
TrailBlazer/Envoy 2WD	4.2L I-6	5,900 (a,s)
TrailBlazer/Envoy 2WD	4.2L I-6	6,400 (a,u)
TrailBlazer/Envoy 2WD	5.3L V-8	6,300 (a,q)
TrailBlazer/Envoy 2WD	5.3L V-8	6,800 (a,s)
TrailBlazer/Envoy 4WD	4.2L I-6	5,200 (a,q)
TrailBlazer/Envoy 4WD	4.2L I-6	5,700 (a,s)
TrailBlazer/Envoy 4WD	4.2L I-6	6,200 (a,u)
TrailBlazer/Envoy 4WD	5.3L V-8	6,100 (a,q)
TrailBlazer/Envoy 4WD	5.3L V-8	6,600 (a,s)
TrailBlazer SS 2WD	6.0L V-8	6,700 (a,u)
TrailBlazer SS 4WD	6.0L V-8	6,500 (a,u)

DAIMLERCHRYSLER

Chrysler Aspen

Vehicle	Engine	Tow Limit (lb)
Aspen 2WD	4.7L V-8	6,000 (a,r)
Aspen 2WD	4.7L V-8	7,500 (a,t)
Aspen 2WD	5.7L V-8	7,450 (a,r)
Aspen 2WD	5.7L V-8	8,950 (a,t)
Aspen 4WD	4.7L V-8	5,850 (a,r)
Aspen 4WD	4.7L V-8	7,350 (a,t)
Aspen 4WD	5.7L V-8	7,250 (a,r)
Aspen 4WD	5.7L V-8	8,750 (a,t)

Chrysler Pacifica, Town and Country/ Dodge Caravan, Grand Caravan

Pacifica	3.8L V-6	3,500
Pacifica	4.0L V-6	3,500
Town & Country	3.3L V-6	3,600 (z)
Town & Country	3.8L V-6	3,800 (z)
Caravan/Grand Caravan	3.3L V-6	3,600 (z)
Caravan/Grand Caravan	3.8L V-6	3,800 (z)

Dodge Calibur, Magnum

Caliber	2.4L I-4	2,000 (z)
Magnum	3.5L V-6	2,000
Magnum	5.7L V-8	2,000
Magnum	5.7L V-8	3,800 (z)
Magnum SRT8	6.1L V-8	3,800

Dodge Dakota

Dakota Club Cab 2WD	3.7L V-6	3,300 (m,n)
Dakota Club Cab 2WD	3.7L V-6	4,100 (m,r)

Dakota Club Cab 2WD	3.7L V-6	4,600 (a,r)
Dakota Club Cab 2WD	3.7L V-6	4,900 (a,t)
Dakota Club Cab 2WD	4.7L V-8	5,000 (m,n)
Dakota Club Cab 2WD	4.7L V-8	5,500 (m,r)
Dakota Club Cab 2WD	4.7L V-8	5,950 (a,r)
Dakota Club Cab 2WD	4.7L V-8	7,150 (a,t)
Dakota Club Cab 4WD	3.7L V-6	3,900 (m,r)
Dakota Club Cab 4WD	3.7L V-6	4,400 (a,r)
Dakota Club Cab 4WD	3.7L V-6	4,700 (a,t)
Dakota Club Cab 4WD	4.7L V-8	5,350 (m,r)
Dakota Club Cab 4WD	4.7L V-8	5,800 (a,r)
Dakota Club Cab 4WD	4.7L V-8	7,000 (a,t)
Dakota Quad Cab 2WD	3.7L V-6	3,150 (m,n)
Dakota Quad Cab 2WD	3.7L V-6	3,950 (m,r)
Dakota Quad Cab 2WD	3.7L V-6	4,500 (a,r)
Dakota Quad Cab 2WD	3.7L V-6	4,800 (a,t)
Dakota Quad Cab 2WD	4.7L V-8	4,900 (m,n)
Dakota Quad Cab 2WD	4.7L V-8	5,400 (m,r)
Dakota Quad Cab 2WD	4.7L V-8	5,850 (a,r)
Dakota Quad Cab 2WD	4.7L V-8	7,050 (a,t)
Dakota Quad Cab 4WD	3.7L V-6	3,800 (m,r)
Dakota Quad Cab 4WD	3.7L V-6	4,300 (a,r)
Dakota Quad Cab 4WD	3.7L V-6	4,600 (a,t)
Dakota Quad Cab 4WD	4.7L V-6	5,250 (m,r)
Dakota Quad Cab 4WD	4.7L V-6	5,650 (a,r)
Dakota Quad Cab 4WD	4.7L V-6	6,850 (a,t)

Dodge Durango

Durango SLT 2WD	3.7L V-6	3,750 (a,t)
Durango SLT 2WD	4.7L V-8	6,000 (a,r)
Durango SLT 2WD	4.7L V-8	7,500 (a,t)
Durango SLT 2WD	5.7L V-8	7,450 (a,r)
Durango SLT 2WD	5.7L V-8	8,950 (a,t)
Durango SLT 4WD	4.7L V-8	5,850 (a,r)
Durango SLT 4WD	4.7L V-8	7,350 (a,t)
Durango SLT 4WD	5.7L V-8	7,250 (a,r)
Durango SLT 4WD	5.7L V-8	8,750 (a,t)

Dodge Nitro

Nitro	3.7L V-6	5,000 (a or m,z)
Nitro	4.0L V-6	5,000 (a or m,z)

Dodge Ram 1500 Regular, Quad & Mega Cab

Ram 1500 Reg Cab 2WD ST Shortbed	3.7L V-6	3,300 (m,n or r)
Ram 1500 Reg Cab 2WD ST Shortbed	3.7L V-6	3,800 (a,t)
Ram 1500 Reg Cab 2WD ST Shortbed	4.7L V-8	4,200 (m,n)
Ram 1500 Reg Cab 2WD ST Shortbed	4.7L V-8	5,700 (m,t)
Ram 1500 Reg Cab 2WD ST Shortbed	4.7L V-8	6,650 (a,r)
Ram 1500 Reg Cab 2WD ST Shortbed	4.7L V-8	7,650 (a,t)
Ram 1500 Reg Cab 2WD ST Shortbed	5.7L V-8	8,100 (a,r)
Ram 1500 Reg Cab 2WD ST Shortbed	5.7L V-8	9,100 (a,t)
Ram 1500 Reg Cab 2WD ST Longbed	3.7L V-6	3,050 (m,n/r)
Ram 1500 Reg Cab 2WD ST Longbed	3.7L V-6	3,550 (a,t)
Ram 1500 Reg Cab 2WD ST Longbed	4.7L V-8	4,000 (m,n)
Ram 1500 Reg Cab 2WD ST Longbed	4.7L V-8	5,500 (m,t)
Ram 1500 Reg Cab 2WD ST Longbed	4.7L V-8	6,450 (a,r)

Ram 1500 Reg Cab 2WD ST Longbed	4.7L V-8	7,450 (a,t)
Ram 1500 Reg Cab 2WD ST Longbed	5.7L V-8	7,900 (a,r)
Ram 1500 Reg Cab 2WD ST Longbed	5.7L V-8	8,900 (a,t)
Ram 1500 Reg Cab 4WD ST Shortbed	4.7L V-8	4,450 (m,r)
Ram 1500 Reg Cab 4WD ST Shortbed	4.7L V-8	5,450 (m,t)
Ram 1500 Reg Cab 4WD ST Shortbed	4.7L V-8	6,400 (a,r)
Ram 1500 Reg Cab 4WD ST Shortbed	4.7L V-8	7,400 (a,t)
Ram 1500 Reg Cab 4WD ST Shortbed	5.7L V-8	7,800 (a,r)
Ram 1500 Reg Cab 4WD ST Shortbed	5.7L V-8	8,800 (a,t)
Ram 1500 Reg Cab 4WD ST Longbed	4.7L V-8	4,250 (m,r)
Ram 1500 Reg Cab 4WD ST Longbed	4.7L V-8	5,250 (m,t)
Ram 1500 Reg Cab 4WD ST Longbed	4.7L V-8	6,200 (a,r)
Ram 1500 Reg Cab 4WD ST Longbed	4.7L V-8	7,200 (a,t)
Ram 1500 Reg Cab 4WD ST Longbed	5.7L V-8	7,600 (a,r)
Ram 1500 Reg Cab 4WD ST Longbed	5.7L V-8	8,600 (a,t)
Ram 1500 Quad Cab 2WD ST Shortbed	3.7L V-6	2,900 (m,n/r)
Ram 1500 Quad Cab 2WD ST Shortbed	3.7L V-6	3,400 (a,t)
Ram 1500 Quad Cab 2WD ST Shortbed	4.7L V-8	3,850 (m,n)
Ram 1500 Quad Cab 2WD ST Shortbed	4.7L V-8	5,350 (m,t)
Ram 1500 Quad Cab 2WD ST Shortbed	4.7L V-8	6,300 (a,r)
Ram 1500 Quad Cab 2WD ST Shortbed	4.7L V-8	7,300 (a,t)
Ram 1500 Quad Cab 2WD ST Shortbed	5.7L V-8	7,700 (a,r)
Ram 1500 Quad Cab 2WD ST Shortbed	5.7L V-8	8,700 (a,t)
Ram 1500 Quad Cab 2WD ST Longbed	4.7L V-8	3,700 (m,n)
Ram 1500 Quad Cab 2WD ST Longbed	4.7L V-8	5,200 (m,t)
Ram 1500 Quad Cab 2WD ST Longbed	4.7L V-8	6,100 (a,r)
Ram 1500 Quad Cab 2WD ST Longbed	4.7L V-8	7,100 (a,t)
Ram 1500 Quad Cab 2WD ST Longbed	5.7L V-8	7,550 (a,r)
Ram 1500 Quad Cab 2WD ST Longbed	5.7L V-8	8,550 (a,t)
Ram 1500 Quad Cab 4WD ST Shortbed	4.7L V-8	4,100 (m,r)
Ram 1500 Quad Cab 4WD ST Shortbed	4.7L V-8	5,100 (m,t)
Ram 1500 Quad Cab 4WD ST Shortbed	4.7L V-8	6,050 (a,r)
Ram 1500 Quad Cab 4WD ST Shortbed	4.7L V-8	7,050 (a,t)
Ram 1500 Quad Cab 4WD ST Shortbed	5.7L V-8	7,500 (a,r)
Ram 1500 Quad Cab 4WD ST Shortbed	5.7L V-8	8,500 (a,t)
Ram 1500 Quad Cab 4WD ST Longbed	4.7L V-8	4,950 (m,t)
Ram 1500 Quad Cab 4WD ST Longbed	4.7L V-8	6,900 (a,t)
Ram 1500 Quad Cab 4WD ST Longbed	5.7L V-8	8,250 (a,t)
Ram 1500 Mega Cab 2WD SLT Shortbed	5.7L V-8	7,750 (a,s)
Ram 1500 Mega Cab 2WD SLT Shortbed	5.7L V-8	8,750 (a,u)
Ram 1500 Mega Cab 4WD SLT Shortbed	5.7L V-8	7,400 (a,s)
Ram 1500 Mega Cab 4WD SLT Shortbed	5.7L V-8	8,400 (a,u)

Dodge Ram 2500/3500, Regular, Quad & Mega Cab

Ram 2500 Reg Cab 2WD ST Longbed	5.7L V-8	9,400 (m,s)
Ram 2500 Reg Cab 2WD ST Longbed	5.7L V-8	11,400 (m,u)
Ram 2500 Reg Cab 2WD ST Longbed	5.7L V-8	9,450 (a,s)
Ram 2500 Reg Cab 2WD ST Longbed	5.7L V-8	11,450 (a,u)
Ram 2500 Reg Cab 2WD ST Longbed	5.9L I-6 TD	13,600 (m,s)
Ram 2500 Reg Cab 2WD ST Longbed	5.9L I-6 TD	13,700 (a,s/u)
Ram 2500 Reg Cab 2WD ST Longbed	6.7L I-6 TD	13,450 (m,s)
Ram 2500 Reg Cab 2WD ST Longbed	6.7L I-6 TD	13,550 (a, s or u)

Ram 2500 Reg Cab 4WD ST Longbed	5.7L V-8	8,950 (m,s)
Ram 2500 Reg Cab 4WD ST Longbed	5.7L V-8	10,950 (m,u)

Ram 2500 Reg Cab 4WD ST Longbed	5.7L V-8	9,000 (a,s)
Ram 2500 Reg Cab 4WD ST Longbed	5.7L V-8	11,000 (a,u)
Ram 2500 Reg Cab 4WD ST Longbed	5.9L I-6 TD	13,200 (m,s)
Ram 2500 Reg Cab 4WD ST Longbed	5.9L I-6 TD	13,250 (a,s or u)
Ram 2500 Reg Cab 4WD ST Longbed	6.7L I-6 TD	13,100 (m,s)
Ram 2500 Reg Cab 4WD ST Longbed	6.7L I-6 TD	13,150 (a,s or u)

Ram 2500 Quad Cab 2WD ST Shortbed	5.7L V-8	9,050 (m,s)
Ram 2500 Quad Cab 2WD ST Shortbed	5.7L V-8	11,050 (m,u)
Ram 2500 Quad Cab 2WD ST Shortbed	5.7L V-8	9,100 (a,s)
Ram 2500 Quad Cab 2WD ST Shortbed	5.7L V-8	11,100 (a,u)
Ram 2500 Quad Cab 2WD ST Shortbed	5.9L I-6 TD	13,300 (m,s)
Ram 2500 Quad Cab 2WD ST Shortbed	5.9L I-6 TD	13,400 (a,s or u)
Ram 2500 Quad Cab 2WD ST Shortbed	6.7L I-6 TD	13,300 (m,s)
Ram 2500 Quad Cab 2WD ST Shortbed	6.7L I-6 TD	13,400 (a,s or u)

Ram 2500 Quad Cab 2WD ST Longbed	5.7L V-8	9,000 (m,s)
Ram 2500 Quad Cab 2WD ST Longbed	5.7L V-8	11,000 (m,u)
Ram 2500 Quad Cab 2WD ST Longbed	5.7L V-8	9,050 (a,s)
Ram 2500 Quad Cab 2WD ST Longbed	5.7L V-8	11,050 (a,u)
Ram 2500 Quad Cab 2WD ST Longbed	5.9L I-6 TD	13,250 (m,s)
Ram 2500 Quad Cab 2WD ST Longbed	5.9L I-6 TD	13,300 (a,s or u)
Ram 2500 Quad Cab 2WD ST Longbed	6.7L I-6 TD	13,200 (m,s)
Ram 2500 Quad Cab 2WD ST Longbed	6.7L I-6 TD	13,250 (a,s or u)

Ram 2500 Quad Cab 4WD ST Shortbed	5.7L V-8	8,650 (m,s)
Ram 2500 Quad Cab 4WD ST Shortbed	5.7L V-8	10,650 (m,u)
Ram 2500 Quad Cab 4WD ST Shortbed	5.7L V-8	8,700 (a,s)
Ram 2500 Quad Cab 4WD ST Shortbed	5.7L V-8	10,700 (a,u)
Ram 2500 Quad Cab 4WD ST Shortbed	5.9L I-6 TD	12,850 (m,s)
Ram 2500 Quad Cab 4WD ST Shortbed	5.9L I-6 TD	12,950 (a,s or u)
Ram 2500 Quad Cab 4WD ST Shortbed	6.7L I-6 TD	12,950 (m,s)
Ram 2500 Quad Cab 4WD ST Shortbed	6.7L I-6 TD	13,000 (a,s or u)

Ram 2500 Quad Cab 4WD ST Longbed	5.7L V-8	8,600 (m,s)
Ram 2500 Quad Cab 4WD ST Longbed	5.7L V-8	10,600 (m,u)
Ram 2500 Quad Cab 4WD ST Longbed	5.7L V-8	8,650 (a,s)
Ram 2500 Quad Cab 4WD ST Longbed	5.7L V-8	10,650 (a,u)
Ram 2500 Quad Cab 4WD ST Longbed	5.9L I-6 TD	12,800 (m,s)
Ram 2500 Quad Cab 4WD ST Longbed	5.9L I-6 TD	12,850 (a,s or u)
Ram 2500 Quad Cab 4WD ST Longbed	6.7L I-6 TD	12,750 (m,s)
Ram 2500 Quad Cab 4WD ST Longbed	6.7L I-6 TD	12,850 (a,s or u)

Ram 2500 Mega Cab 2WD SLT Shortbed	5.7L V-8	8,700 (a,s)
Ram 2500 Mega Cab 2WD SLT Shortbed	5.7L V-8	10,700 (a,u)
Ram 2500 Mega Cab 2WD SLT Shortbed	5.9L I-6 TD	12,950 (m,s)
Ram 2500 Mega Cab 2WD SLT Shortbed	5.9L I-6 TD	13,000 (a,s or u)
Ram 2500 Mega Cab 2WD SLT Shortbed	5.9L I-6 TD	13,050 (a,s or u)
Ram 2500 Mega Cab 2WD SLT Shortbed	6.7L I-6 TD	12,800 (m,s)
Ram 2500 Mega Cab 2WD SLT Shortbed	6.7L I-6 TD	12,900 (a,s or u)

Ram 2500 Mega Cab 4WD SLT Shortbed	5.7L V-8	8,150 (a,s)
------------------------------------	----------	-------------

Ram 2500 Mega Cab 4WD SLT Shortbed	5.7L V-8	10,150 (a,u)
Ram 2500 Mega Cab 4WD SLT Shortbed	5.9L I-6 TD	12,350 (m,s)
Ram 2500 Mega Cab 4WD SLT Shortbed	5.9L I-6 TD	12,400 (a,s or u)
Ram 2500 Mega Cab 4WD SLT Shortbed	6.7L I-6 TD	12,350 (m,s)
Ram 2500 Mega Cab 4WD SLT Shortbed	6.7L I-6 TD	12,450 (a,s or u)
Ram 3500 Reg Cab 2WD ST Longbed	5.7L V-8	10,850 (m,u)
Ram 3500 Reg Cab 2WD ST Longbed	5.7L V-8	10,900 (a,u)
Ram 3500 Reg Cab 2WD ST Longbed	5.9L I-6 TD	16,150 (m,s)
Ram 3500 Reg Cab 2WD ST Longbed	5.9L I-6 TD	14,250 (a,s)
Ram 3500 Reg Cab 2WD ST Longbed	5.9L I-6 TD	16,250 (a,u)
Ram 3500 Reg Cab 2WD ST Longbed	6.7L I-6 TD	16,050 (m,s)
Ram 3500 Reg Cab 2WD ST Longbed	6.7L I-6 TD	14,150 (a,s)
Ram 3500 Reg Cab 2WD ST Longbed	6.7L I-6 TD	16,150 (a,u)

Ram 3500 Reg Cab 4WD ST Longbed	5.7L V-8	10,400 (m,u)
Ram 3500 Reg Cab 4WD ST Longbed	5.7L V-8	10,450 (a,u)
Ram 3500 Reg Cab 4WD ST Longbed	5.9L I-6 TD	15,700 (m,s)
Ram 3500 Reg Cab 4WD ST Longbed	5.9L I-6 TD	13,750 (a,s)
Ram 3500 Reg Cab 4WD ST Longbed	5.9L I-6 TD	15,750 (a,u)
Ram 3500 Reg Cab 4WD ST Longbed	6.7L I-6 TD	15,800 (m,s)
Ram 3500 Reg Cab 4WD ST Longbed	6.7L I-6 TD	13,900 (a,s)
Ram 3500 Reg Cab 4WD ST Longbed	6.7L I-6 TD	15,900 (a,u)

Ram 3500 Quad Cab 2WD ST Shortbed	5.9L I-6 TD	16,050 (m,s)
Ram 3500 Quad Cab 2WD ST Shortbed	5.9L I-6 TD	14,150 (a,s)
Ram 3500 Quad Cab 2WD ST Shortbed	5.9L I-6 TD	16,150 (a,u)
Ram 3500 Quad Cab 2WD ST Shortbed	6.7L I-6 TD	16,200 (m,s)
Ram 3500 Quad Cab 2WD ST Shortbed	6.7L I-6 TD	14,350 (a,s)
Ram 3500 Quad Cab 2WD ST Shortbed	6.7L I-6 TD	16,350 (a,u)
Ram 3500 Quad Cab 2WD ST Longbed	5.7L V-8	10,500 (m,u)
Ram 3500 Quad Cab 2WD ST Longbed	5.7L V-8	10,550 (a,u)
Ram 3500 Quad Cab 2WD ST Longbed	5.9L I-6 TD	15,800 (m,s)

Ram 3500 Quad Cab 2WD ST Longbed	5.9L I-6 TD	13,850 (a,s)
Ram 3500 Quad Cab 2WD ST Longbed	5.9L I-6 TD	15,850 (a,u)

Ram 3500 Quad Cab 2WD ST Longbed	6.7L I-6 TD	16,100 (m,s)
Ram 3500 Quad Cab 2WD ST Longbed	6.7L I-6 TD	14,200 (a,s)

Ram 3500 Quad Cab 2WD ST Longbed	6.7L I-6 TD	16,200 (a,u)
Ram 3500 Quad Cab 2WD ST Longbed	5.7L V-8	10,650 (m,u)

Ram 3500 Quad Cab 2WD ST Longbed	5.7L V-8	10,700 (a,u)
Ram 3500 Quad Cab 2WD ST Longbed	5.9L I-6 TD	15,850 (m,s)

Ram 3500 Quad Cab 2WD ST Longbed	5.9L I-6 TD	13,900 (a,s)
----------------------------------	-------------	--------------

Ram 3500 Quad Cab 2WD ST Longbed DRW	5.9L I-6 TD	15,900 (a,u)
Ram 3500 Quad Cab 2WD ST Longbed DRW	6.7L I-6 TD	15,750 (m,s)
Ram 3500 Quad Cab 2WD ST Longbed DRW	6.7L I-6 TD	13,800 (a,s)
Ram 3500 Quad Cab 2WD ST Longbed DRW	6.7L I-6 TD	15,800 (a,u)
Ram 3500 Quad Cab 4WD ST Shortbed	5.9L I-6 TD	15,800 (m,s)
Ram 3500 Quad Cab 4WD ST Shortbed	5.9L I-6 TD	13,850 (a,s)
Ram 3500 Quad Cab 4WD ST Shortbed	5.9L I-6 TD	15,850 (a,u)
Ram 3500 Quad Cab 4WD ST Shortbed	6.7L I-6 TD	15,800 (m,s)
Ram 3500 Quad Cab 4WD ST Shortbed	6.7L I-6 TD	13,900 (a,s)
Ram 3500 Quad Cab 4WD ST Shortbed	6.7L I-6 TD	15,900 (a,u)
Ram 3500 Quad Cab 4WD ST Longbed	5.7L V-8	10,050 (m,u)
Ram 3500 Quad Cab 4WD ST Longbed	5.7L V-8	10,100 (a,u)
Ram 3500 Quad Cab 4WD ST Longbed	5.9L I-6 TD	15,350 (m,s)
Ram 3500 Quad Cab 4WD ST Longbed	5.9L I-6 TD	13,400 (a,s)
Ram 3500 Quad Cab 4WD ST Longbed	5.9L I-6 TD	15,400 (a,u)
Ram 3500 Quad Cab 4WD ST Longbed	5.9L I-6 TD	15,750 (m,s)
Ram 3500 Quad Cab 4WD ST Longbed	5.9L I-6 TD	13,850 (a,s)
Ram 3500 Quad Cab 4WD ST Longbed	5.9L I-6 TD	15,850 (a,u)
Ram 3500 Quad Cab 4WD ST Longbed	6.7L I-6 TD	15,650 (m,s)
Ram 3500 Quad Cab 4WD ST Longbed	6.7L I-6 TD	13,750 (a,s)
Ram 3500 Quad Cab 4WD ST Longbed	6.7L I-6 TD	15,750 (a,u)
Ram 3500 Quad Cab 4WD ST Longbed DRW	5.7L V-8	10,200 (m,u)
Ram 3500 Quad Cab 4WD ST Longbed DRW	5.7L V-8	10,250 (a,u)
Ram 3500 Quad Cab 4WD ST Longbed DRW	5.9L I-6 TD	15,400 (m,s)
Ram 3500 Quad Cab 4WD ST Longbed DRW	5.9L I-6 TD	13,500 (a,s)
Ram 3500 Quad Cab 4WD ST Longbed DRW	5.9L I-6 TD	15,500 (a,u)
Ram 3500 Quad Cab 4WD ST Longbed DRW	6.7L 24V TDHO	15,300 (m,s)

Ram 3500 Quad Cab 4WD ST Longbed DRW	6.7L 24V TDHO	13,400 (a,s)
Ram 3500 Quad Cab 4WD ST Longbed DRW	6.7L 24V TDHO	15,400 (a,u)
Ram 3500 Mega Cab 2WD SLT Shortbed	5.9L I-6 TD	15,800 (m,s)
Ram 3500 Mega Cab 2WD SLT Shortbed	5.9L I-6 TD	13,900 (a,s)
Ram 3500 Mega Cab 2WD SLT Shortbed	5.9L I-6 TD	15,900 (a,u)
Ram 3500 Mega Cab 2WD SLT Shortbed	6.7L I-6 TD	15,750 (m,s)
Ram 3500 Mega Cab 2WD SLT Shortbed	6.7L I-6 TD	13,850 (a,s)
Ram 3500 Mega Cab 2WD SLT Shortbed	6.7L I-6 TD	15,850 (a,u)
Ram 3500 Mega Cab 2WD SLT Shortbed DRW	5.9L I-6 TD	15,500 (m,s)
Ram 3500 Mega Cab 2WD SLT Shortbed DRW	5.9L I-6 TD	13,600 (a,s)
Ram 3500 Mega Cab 2WD SLT Shortbed DRW	5.9L I-6 TD	15,600 (a,u)
Ram 3500 Mega Cab 2WD SLT Shortbed DRW	6.7L I-6 TD	15,400 (m,s)
Ram 3500 Mega Cab 2WD SLT Shortbed DRW	6.7L I-6 TD	13,500 (a,s)
Ram 3500 Mega Cab 2WD SLT Shortbed DRW	6.7L I-6 TD	15,500 (a,u)
Ram 3500 Mega Cab 4WD SLT Shortbed	5.9L I-6 TD	15,400 (m,s)
Ram 3500 Mega Cab 4WD SLT Shortbed	5.9L I-6 TD	13,450 (a,s)
Ram 3500 Mega Cab 4WD SLT Shortbed	5.9L I-6 TD	15,450 (a,u)
Ram 3500 Mega Cab 4WD SLT Shortbed	6.7L I-6 TD	15,350 (m,s)
Ram 3500 Mega Cab 4WD SLT Shortbed	6.7L I-6 TD	13,450 (a,s)
Ram 3500 Mega Cab 4WD SLT Shortbed	6.7L I-6 TD	15,450 (a,u)
Ram 3500 Mega Cab 4WD SLT Shortbed DRW	5.9L I-6 TD	15,100 (m,s)
Ram 3500 Mega Cab 4WD SLT Shortbed DRW	5.9L I-6 TD	13,200 (a,s)
Ram 3500 Mega Cab 4WD SLT Shortbed DRW	5.9L I-6 TD	15,200 (a,u)
Ram 3500 Mega Cab 4WD SLT Shortbed DRW	6.7L I-6 TD	15,000 (m,s)
Ram 3500 Mega Cab 4WD SLT Shortbed DRW	6.7L I-6 TD	13,100 (a,s)
Ram 3500 Mega Cab 4WD SLT Shortbed DRW	6.7L I-6 TD	15,100 (a,u)
Ram Power Wagon Reg Cab 4WD Longbed	5.7L V-8	11,000 (m or a,u)
Ram Power Wagon Quad Cab 4WD Shortbed	5.7L V-8	10,750 (m or a,u)

FORD MOTOR COMPANY

E-Series

Vehicle	Engine	Tow Limit (LB)
E-150 Van	4.6L V-8	6,500 (a,r)
E-150 Van	5.4L V-8	6,900 (a,r)
E-250 Super Duty Van	4.6L V-8	6,100 (a,s)
E-250 Super Duty Van	4.6L V-8	6,600 (a,u)
E-250 Super Duty Van	5.4L V-8	7,500 (a,s)
E-250 Super Duty Ext Van	5.4L V-8	6,900 (a,s)
E-350 Super Duty Van	5.4L V-8	7,300 (a,u)
E-350 Super Duty Van	6.8L V-10	9,200 (a,s)
E-350 Super Duty Van	6.8L V-10	10,000 (a,u)
E-350 Super Duty Van	6.0L V-8 TD	9,700 (a,r)
E-350 Super Duty Van	6.0L V-8 TD	10,000 (a,u)
E-350 Super Duty Ext Van	5.4L V-8	7,500 (a,s)
E-150 Wagon	4.6L V-8	6,100 (a,r)
E-150 Wagon	5.4L V-8	6,500 (a,r)
E-350 Super Duty Wagon	5.4L V-8	7,000 (a,s)
E-350 Super Duty Wagon	6.8L V-10	8,800 (a,s)
E-350 Super Duty Wagon	6.8L V-10	10,000 (a,u)
E-350 Super Duty Wagon	6.0L V-8 TD	9,300 (a,r)
E-350 Super Duty Wagon	6.0L V-8 TD	10,000 (a,u)
E-350 Super Duty Ext Wagon	5.4L V-8	7,500 (a,s)

Edge, Escape, Explorer, Expedition, Expedition EL

Edge	3.5L V-6	3,500 (z)
Escape 2WD/4WD	3.0L V-6	3,500 (z)
Explorer 2WD 5-Passenger	4.0L V-6	5,390 (r,z)
Explorer 2WD 5-Passenger	4.6L V-8	7,300 (r,z)
Explorer 4WD 5-Passenger	4.0L V-6	5,210 (r,z)
Explorer 4WD 5-Passenger	4.6L V-8	7,120 (r,z)
Explorer 2WD 6-Passenger	4.0L V-6	5,320 (r,z)
Explorer 2WD 6-Passenger	4.6L V-8	7,230 (r,z)
Explorer 4WD 6-Passenger	4.0L V-6	5,140 (r,z)
Explorer 4WD 6-Passenger	4.6L V-8	7,050 (r,z)
Explorer 2WD 7-Passenger	4.0L V-6	5,320 (r,z)
Explorer 2WD 7-Passenger	4.6L V-8	7,230 (r,z)
Explorer 4WD 7-Passenger	4.0L V-6	5,140 (r,z)
Explorer 4WD 7-Passenger	4.6L V-8	7,050 (r,z)
Expedition 2WD	5.4L V-8	9,100 (p,z)
Expedition 2WD EL	5.4L V-8	8,900 (s,z)
Expedition 4WD	5.4L V-8	9,030 (p,z)
Expedition 4WD EL	5.4L V-8	8,680 (s,z)

Explorer Sport Trac

Explorer Sport Trac 2WD	4.0L V-6	5,310 (s,z)
Explorer Sport Trac 2WD	4.6L V-8	6,800 (r,z)
Explorer Sport Trac 4WD	4.0L V-6	5,140 (s,z)
Explorer Sport Trac 4WD	4.6L V-8	6,640 (r,z)

F-150

F-150 Reg Cab 2WD 6' Bed	4.2L V-6	2,400 (m,p)
F-150 Reg Cab 2WD 6' Bed	4.2L V-6	5,100 (a,p)
F-150 Reg Cab 2WD 6' Bed	4.6L V-8	6,500 (a,r)
F-150 Reg Cab 2WD 6' Bed	4.6L V-8	7,000 (a,s)

F-150 Reg Cab 2WD 6' Bed	5.4L V-8	6,900 (a,p)
F-150 Reg Cab 2WD 6' Bed	5.4L V-8	7,900 (a,r)
F-150 Reg Cab 2WD 6' Bed	5.4L V-8	8,400 (a,s)
F-150 Reg Cab 2WD 8' Bed	4.2L V-6	2,200 (m,p)
F-150 Reg Cab 2WD 8' Bed	4.2L V-6	5,000 (a,p)
F-150 Reg Cab 2WD 8' Bed	4.6L V-8	6,600 (a,r)
F-150 Reg Cab 2WD 8' Bed	4.6L V-8	7,100 (a,s)
F-150 Reg Cab 2WD 8' Bed	5.4L V-8	7,300 (a,p)
F-150 Reg Cab 2WD 8' Bed	5.4L V-8	8,700 (a,r)
F-150 Reg Cab 2WD 8' Bed	5.4L V-8	9,800 (a,s)
F-150 Reg Cab 2WD 8' Bed	5.4L V-8	9,900 (a,u)
F-150 Reg Cab 4WD 6' Bed	4.6L V-8	6,200 (a,r)
F-150 Reg Cab 4WD 6' Bed	4.6L V-8	6,700 (a,s)
F-150 Reg Cab 4WD 6' Bed	5.4L V-8	7,600 (a,r)
F-150 Reg Cab 4WD 6' Bed	5.4L V-8	8,100 (a,s)
F-150 Reg Cab 4WD 8' Bed	4.6L V-8	6,800 (a,s)
F-150 Reg Cab 4WD 8' Bed	5.4L V-8	8,800 (a,r)
F-150 Reg Cab 4WD 8' Bed	5.4L V-8	9,500 (a,s or u)
F-150 SuperCab 2WD 5' Bed	4.6L V-8	6,300 (a,r)
F-150 SuperCab 2WD 5' Bed	4.6L V-8	6,800 (a,s)
F-150 SuperCab 2WD 5' Bed	5.4L V-8	7,600 (a,r)
F-150 SuperCab 2WD 5' Bed	5.4L V-8	8,100 (a,s)
F-150 SuperCab 2WD 6' Bed	4.6L V-8	6,400 (a,r)
F-150 SuperCab 2WD 6' Bed	4.6L V-8	6,900 (a,s)
F-150 SuperCab 2WD 6' Bed	5.4L V-8	8,600 (a,r)
F-150 SuperCab 2WD 6' Bed	5.4L V-8	9,500 (a,s)
F-150 SuperCab 2WD 8' Bed	5.4L V-8	9,500 (a,u)
F-150 SuperCab 4WD 5' Bed	4.6L V-8	6,000 (a,r)
F-150 SuperCab 4WD 5' Bed	4.6L V-8	6,500 (a,s)
F-150 SuperCab 4WD 5' Bed	5.4L V-8	7,300 (a,r)
F-150 SuperCab 4WD 5' Bed	5.4L V-8	7,800 (a,s)
F-150 SuperCab 4WD 6' Bed	4.6L V-8	6,100 (a,r)
F-150 SuperCab 4WD 6' Bed	4.6L V-8	6,600 (a,s)
F-150 SuperCab 4WD 6' Bed	5.4L V-8	8,300 (a,r)
F-150 SuperCab 4WD 6' Bed	5.4L V-8	9,300 (a,s)
F-150 SuperCab 4WD 8' Bed	5.4L V-8	9,300 (a,u)
F-150 SuperCrew 2WD	4.6L V-8	6,300 (a,r)
F-150 SuperCrew 2WD	4.6L V-8	6,800 (a,s)
F-150 SuperCrew 2WD	5.4L V-8	8,500 (a,r)
F-150 SuperCrew 2WD	5.4L V-8	9,500 (a,s)
F-150 SuperCrew 4WD	4.6L V-8	6,000 (a,r)
F-150 SuperCrew 4WD	4.6L V-8	6,500 (a,s)
F-150 SuperCrew 4WD	5.4L V-8	8,200 (a,r)
F-150 SuperCrew 4WD	5.4L V-8	9,200 (a,s)

F-250, F-350 Super Duty, Conventional Towing

F-250/F-350 Super Duty Reg Cab 2WD	5.4L V-8	9,100 (m,s)
F-250/F-350 Super Duty Reg Cab 2WD	5.4L V-8	10,100 (a,s)
F-250/F-350 Super Duty Reg Cab 2WD	5.4L V-8	11,100 (m,u)
F-250/F-350 Super Duty Reg Cab 2WD	5.4L V-8	12,100 (a,u)
F-250/F-350 Super Duty Reg Cab 2WD	6.8L V-10	12,500 (a or m,u or v)
F-250/F-350 Super Duty Reg Cab 2WD	6.0L V-8 TD	12,500 (a or m,s)
F-250/F-350 Super Duty Reg Cab 4WD	5.4L V-8	8,700 (m,s)
F-250/F-350 Super Duty Reg Cab 4WD	5.4L V-8	9,700 (a,s)

F-250/F-350 Super Duty Reg Cab 4WD	5.4L V-8	10,700 (m,u)
F-250/F-350 Super Duty Reg Cab 4WD	5.4L V-8	11,700 (a,u)
F-250/F-350 Super Duty Reg Cab 4WD	6.8L V-10	12,500 (a or m,u or v)
F-250/F-350 Super Duty Reg Cab 4WD	6.0L V-8 TD	12,500 (a or m,s)
F-250/F-350 Super Duty SuperCab 2WD	5.4L V-8	8,800 (m,s)
F-250/F-350 Super Duty SuperCab 2WD	5.4L V-8	9,800 (a,s)
F-250/F-350 Super Duty SuperCab 2WD	5.4L V-8	10,800 (m,u)
F-250/F-350 Super Duty SuperCab 2WD	5.4L V-8	11,800 (a,u)
F-250/F-350 Super Duty SuperCab 2WD	6.8L V-10	12,500 (a or m,u or v)
F-250/F-350 Super Duty SuperCab 2WD	6.0L V-8 TD	12,500 (a or m,s)
F-250/F-350 Super Duty SuperCab 4WD	5.4L V-8	8,300 (m,s)
F-250/F-350 Super Duty SuperCab 4WD	5.4L V-8	9,300 (a,s)
F-250/F-350 Super Duty SuperCab 4WD	5.4L V-8	10,300 (m,u)
F-250/F-350 Super Duty SuperCab 4WD	5.4L V-8	11,300 (a,u)
F-250/F-350 Super Duty SuperCab 4WD	6.8L V-10	12,500 (a or m,u or v)
F-250/F-350 Super Duty SuperCab 4WD	6.0L V-8 TD	12,500 (a or m,s)
F-250/F-350 Super Duty Crew Cab 2WD	5.4L V-8	8,600 (m,s)
F-250/F-350 Super Duty Crew Cab 2WD	5.4L V-8	9,600 (a,s)
F-250/F-350 Super Duty Crew Cab 2WD	5.4L V-8	10,600 (m,u)
F-250/F-350 Super Duty Crew Cab 2WD	5.4L V-8	11,600 (a,u)
F-250/F-350 Super Duty Crew Cab 2WD	6.8L V-10	12,500 (a or m,u or v)
F-250/F-350 Super Duty Crew Cab 2WD	6.0L V-8 TD	12,500 (a or m,s)
F-250/F-350 Super Duty Crew Cab 4WD	5.4L V-8	8,100 (m,s)
F-250/F-350 Super Duty Crew Cab 4WD	5.4L V-8	9,100 (a,s)
F-250/F-350 Super Duty Crew Cab 4WD	5.4L V-8	10,100 (m,u)
F-250/F-350 Super Duty Crew Cab 4WD	5.4L V-8	11,100 (a,u)
F-250/F-350 Super Duty Crew Cab 4WD	6.8L V-10	12,500 (a or m,u or v)
F-250/F-350 Super Duty Crew Cab 4WD	6.0L V-8 TD	12,500 (a or m,s)
F-350 Super Duty Reg Cab 2WD DRW	5.4L V-8	11,300 (m,u)
F-350 Super Duty Reg Cab 2WD DRW	5.4L V-8	12,300 (a,u)
F-350 Super Duty Reg Cab 2WD DRW	6.8L V-10	14,100 (m,u)
F-350 Super Duty Reg Cab 2WD DRW	6.8L V-10	15,000 (a,u or v)
F-350 Super Duty Reg Cab 2WD DRW	6.0L V-8 TD	15,000 (a or m,u)
F-350 Super Duty Reg Cab 2WD DRW	6.0L V-8 TD	15,000 (a,s or u or v and z*)
F-350 Super Duty Reg Cab 4WD DRW	5.4L V-8	10,800 (m,u)
F-350 Super Duty Reg Cab 4WD DRW	5.4L V-8	11,800 (a,u)
F-350 Super Duty Reg Cab 4WD DRW	6.8L V-10	13,700 (m,u)
F-350 Super Duty Reg Cab 4WD DRW	6.8L V-10	14,700 (a,u)
F-350 Super Duty Reg Cab 4WD DRW	6.0L V-8 TD	15,000 (m,s or u)
F-350 Super Duty Reg Cab 4WD DRW	6.0L V-8 TD	15,000 (a,s or u or v and z*)
F-350 Super Duty SuperCab 2WD DRW	5.4L V-8	10,900 (m,u)
F-350 Super Duty SuperCab 2WD DRW	5.4L V-8	11,900 (a,u)
F-350 Super Duty SuperCab 2WD DRW	6.8L V-10	13,800 (m,u)
F-350 Super Duty SuperCab 2WD DRW	6.8L V-10	14,800 (m,u)
F-350 Super Duty SuperCab 2WD DRW	6.0L V-8 TD	15,000 (m,s or u)
F-350 Super Duty SuperCab 2WD DRW	6.0L V-8 TD	15,000 (a,s or u or v and z*)
F-350 Super Duty SuperCab 4WD DRW	5.4L V-8	10,500 (m,u)
F-350 Super Duty SuperCab 4WD DRW	5.4L V-8	11,500 (a,u)

F-350 Super Duty SuperCab 4WD DRW	6.8L V-10	13,300 (m,u)
F-350 Super Duty SuperCab 4WD DRW	6.8L V-10	14,300 (a,u)
F-350 Super Duty SuperCab 4WD DRW	6.0L V-8 TD	15,000 (m,s or u)
F-350 Super Duty SuperCab 4WD DRW	6.0L V-8 TD	15,000 (a,s or u or v and z*)
F-350 Super Duty Crew Cab 2WD DRW	6.8L V-10	13,600 (m,u)
F-350 Super Duty Crew Cab 2WD DRW	6.8L V-10	14,700 (a,u)
F-350 Super Duty Crew Cab 2WD DRW	6.0L V-8 TD	15,000 (m,s or u)
F-350 Super Duty Crew Cab 2WD DRW	6.0L V-8 TD	15,000 (a,s or u or v and z*)
F-350 Super Duty Crew Cab 4WD DRW	6.8L V-10	13,100 (m,u)
F-350 Super Duty Crew Cab 4WD DRW	6.8L V-10	14,200 (a,u)
F-350 Super Duty Crew Cab 4WD DRW	6.0L V-8 TD	15,000 (m,s or u)
F-350 Super Duty Crew Cab 4WD DRW	6.0L V-8 TD	15,000 (a,s or u or v and z*)

F-250, F-350 Super Duty, Fifth-Wheel Towing

F-250/F-350 Super Duty Reg Cab 2WD	5.4L V-8	9,100 (m,s)
F-250/F-350 Super Duty Reg Cab 2WD	5.4L V-8	10,100 (a,s)
F-250/F-350 Super Duty Reg Cab 2WD	5.4L V-8	11,100 (m,u)
F-250/F-350 Super Duty Reg Cab 2WD	5.4L V-8	12,100 (a,u)
F-250/F-350 Super Duty Reg Cab 2WD	6.8L V-10	14,000 (m,u)/ 15,000 (a,u)/ 16,000 (m,v)/ 16,500 (a,v)
F-250/F-350 Super Duty Reg Cab 2WD	6.0L V-8 TD	16,400 (m,s)/ 16,500 (a,u)
F-250/F-350 Super Duty Reg Cab 4WD	5.4L V-8	8,700 (m,s)
F-250/F-350 Super Duty Reg Cab 4WD	5.4L V-8	9,700 (a,s)
F-250/F-350 Super Duty Reg Cab 4WD	5.4L V-8	10,700 (m,u)
F-250/F-350 Super Duty Reg Cab 4WD	5.4L V-8	11,700 (a,u)
F-250/F-350 Super Duty Reg Cab 4WD	6.8L V-10	13,500 (m,u)/ 14,500 (a,u)/ 15,500 (m,v)/ 16,000 (a,v)
F-250/F-350 Super Duty Reg Cab 4WD	6.0L V-8 TD	16,000 (m,s)/ 15,800 (a,s)
F-250/F-350 Super Duty SuperCab 2WD	5.4L V-8	8,800 (m,s)
F-250/F-350 Super Duty SuperCab 2WD	5.4L V-8	9,800 (a,s)
F-250/F-350 Super Duty SuperCab 2WD	5.4L V-8	10,800 (m,u)
F-250/F-350 Super Duty SuperCab 2WD	5.4L V-8	11,800 (a,u)
F-250/F-350 Super Duty SuperCab 2WD	6.8L V-10	13,700 (m,u)/ 14,700 (a,u)/ 15,700 (m,v)/ 16,200 (a,v)
F-250/F-350 Super Duty SuperCab 2WD	6.0L V-8 TD	16,100 (m or a,s)
F-250/F-350 Super Duty SuperCab 4WD	5.4L V-8	8,300 (m,s)
F-250/F-350 Super Duty SuperCab 4WD	5.4L V-8	9,300 (a,s)
F-250/F-350 Super Duty SuperCab 4WD	5.4L V-8	10,300 (m,u)
F-250/F-350 Super Duty SuperCab 4WD	5.4L V-8	11,300 (a,u)
F-250/F-350 Super Duty SuperCab 4WD	6.8L V-10	13,200 (m,u)/ 14,200 (a,u)/ 15,200 (m,v)/ 15,700 (a,v)
F-250/F-350 Super Duty SuperCab 4WD	6.0L V-8 TD	15,600 (m,s)/ 15,700 (a,s)

F-250/F-350 Super Duty Crew Cab 2WD	5.4L V-8	8,600 (m,s)
F-250/F-350 Super Duty Crew Cab 2WD	5.4L V-8	9,600 (a,s)
F-250/F-350 Super Duty Crew Cab 2WD	5.4L V-8	10,600 (m,u)
F-250/F-350 Super Duty Crew Cab 2WD	5.4L V-8	11,600 (a,u)
F-250/F-350 Super Duty Crew Cab 2WD	6.8L V-10	13,500 (m,u)/ 14,500 (a,u)/ 15,400 (m,v)/ 16,000 (a,v)
F-250/F-350 Super Duty Crew Cab 2WD	6.0L V-8 TD	15,900 (a or m,s)
F-250/F-350 Super Duty Crew Cab 4WD	5.4L V-8	8,100 (m,s)
F-250/F-350 Super Duty Crew Cab 4WD	5.4L V-8	9,100 (a,s)
F-250/F-350 Super Duty Crew Cab 4WD	5.4L V-8	10,100 (m,u)
F-250/F-350 Super Duty Crew Cab 4WD	5.4L V-8	11,100 (a,u)
F-250/F-350 Super Duty Crew Cab 4WD	6.8L V-10	13,000 (m,u)/ 14,000 (a,u)/ 15,000 (m,v)/ 15,500 (a,v)
F-250/F-350 Super Duty Crew Cab 4WD	6.0L V-8 TD	15,400 (m,s)/ 15,500 (a,s)
F-350 Super Duty Reg Cab 2WD DRW	5.4L V-8	11,300 (m,u)
F-350 Super Duty Reg Cab 2WD DRW	5.4L V-8	12,300 (a,u)
F-350 Super Duty Reg Cab 2WD DRW	6.8L V-10	14,100 (m,u)/ 15,200 (a,u)
F-350 Super Duty Reg Cab 2WD DRW	6.8L V-10	16,100 (m,v)/ 16,700 (a,v)
F-350 Super Duty Reg Cab 2WD DRW	6.0L V-8 TD	16,600 (a or m,s)/ 16,600 (a or m,u)
F-350 Super Duty Reg Cab 2WD DRW	6.0L V-8 TD	19,200 (a,v)
F-350 Super Duty Reg Cab 4WD DRW	5.4L V-8	10,800 (m,u)
F-350 Super Duty Reg Cab 4WD DRW	5.4L V-8	11,800 (a,u)
F-350 Super Duty Reg Cab 4WD DRW	6.8L V-10	13,700 (m,u)/ 14,700 (a,u)
F-350 Super Duty Reg Cab 4WD DRW	6.8L V-10	15,700 (a,v)/ 16,200 (a,v)
F-350 Super Duty Reg Cab 4WD DRW	6.0L V-8 TD	16,100 (m,s or u)/ 16,200 (a,s or u)
F-350 Super Duty Reg Cab 4WD DRW	6.0L V-8 TD	18,700 (a,v)
F-350 Super Duty SuperCab 2WD DRW	5.4L V-8	10,900 (m,u)
F-350 Super Duty SuperCab 2WD DRW	5.4L V-8	11,900 (a,u)
F-350 Super Duty SuperCab 2WD DRW	6.8L V-10	13,800 (m,u)/ 14,800 (a,u)
F-350 Super Duty SuperCab 2WD DRW	6.8L V-10	15,800 (m,v)/ 16,300 (a,v)
F-350 Super Duty SuperCab 2WD DRW	6.0L V-8 TD	16,200 (m,s or u)/ 16,300 (a,s or u)
F-350 Super Duty SuperCab 2WD DRW	6.0L V-8 TD	18,800 (a,v)
F-350 Super Duty SuperCab 4WD DRW	5.4L V-8	10,500 (m,u)
F-350 Super Duty SuperCab 4WD DRW	5.4L V-8	11,500 (a,u)
F-350 Super Duty SuperCab 4WD DRW	6.8L V-10	13,300 (m,u)/ 14,300 (a,u)
F-350 Super Duty SuperCab 4WD DRW	6.8L V-10	15,300 (m,v)/ 15,800 (a,v)
F-350 Super Duty SuperCab 4WD DRW	6.0L V-8 TD	15,800 (m or a,s or u)
F-350 Super Duty SuperCab 4WD DRW	6.0L V-8 TD	18,300 (a,v)
F-350 Super Duty Crew Cab 2WD DRW	6.8L V-10	13,600 (m,u)/

F-350 Super Duty Crew Cab 2WD DRW	6.8L V-10	14,700 (a,u) 15,600 (m,v)/ 16,200 (a,v)
F-350 Super Duty Crew Cab 2WD DRW	6.0L V-8 TD	16,100 (m or a,s or u)
F-350 Super Duty Crew Cab 2WD DRW	6.0L V-8 TD	18,600 (a,v)
F-350 Super Duty Crew Cab 4WD DRW	6.8L V-10	13,100 (m,u)/ 14,200 (a,u)
F-350 Super Duty Crew Cab 4WD DRW	6.8L V-10	15,100 (m,v)/ 15,700 (a,v)
F-350 Super Duty Crew Cab 4WD DRW	6.0L V-8 TD	15,600 (m or a,s or u)
F-350 Super Duty Crew Cab 4WD DRW	6.0L V-8 TD	18,100 (a,v)

F-450, F-550 (all models) Conventional Towing, Automatic or Manual Transmission

Vehicle	Engine	Tow Limit (lb)
F-450 2WD, 4WD	All	16,000
F-550 2WD, 4WD	All	16,000

F-450, F-550 Super Duty Regular Chassis Cab Fifth-Wheel Towing, Manual Transmission

F-450 2WD DRW	6.8L V-10	18,400 (f/g)
F-450 4WD DRW	6.8L V-10	18,000 (f/g)
F-450 2WD DRW	6.0L V-8 TD	18,000 (v/f)
F-450 2WD DRW	6.0L V-8 TD	20,000 (f,z*)
F-450 4WD DRW	6.0L V-8 TD	17,600 (v/f)
F-450 4WD DRW	6.0L V-8 TD	19,600 (f,z*)
F-550 2WD DRW	6.8L V-10	18,300 (f/g)
F-550 4WD DRW	6.8L V-10	18,000 (f/g)
F-550 2WD DRW	6.0L V-8 TD	17,900 (f)
F-550 2WD DRW	6.0L V-8 TD	19,900 (f,z*)
F-550 4WD DRW	6.0L V-8 TD	17,600 (f)
F-550 4WD DRW	6.0L V-8 TD	19,600 (f,z*)

F-450, F-550 Super Duty Regular Chassis Cab Fifth-Wheel Towing, Automatic Transmissions

F-450 2WD DRW	6.8L V-10	18,400 (f/g)
F-450 4WD DRW	6.8L V-10	18,100 (f/g)
F-450 2WD DRW	6.0L V-8 TD	18,000 (v/f)
F-450 2WD DRW	6.0L V-8 TD	22,000 (f,z*)
F-450 4WD DRW	6.0L V-8 TD	17,700 (v/f)
F-450 4WD DRW	6.0L V-8 TD	21,700 (f,z*)
F-550 2WD DRW	6.8L V-10	18,400 (f/g)
F-550 4WD DRW	6.8L V-10	18,000 (f/g)
F-550 2WD DRW	6.0L V-8 TD	17,900 (v/f)
F-550 2WD DRW	6.0L V-8 TD	24,900 (f,z*)
F-550 4WD DRW	6.0L V-8 TD	17,600 (v/f)
F-550 4WD DRW	6.0L V-8 TD	24,600 (f,z*)

Super Duty F-450/F-550 SuperCab Chassis Cab Fifth-Wheel Towing, Manual Transmission

F-450 2WD DRW	6.8L V-10	18,000 (f/g)
F-450 4WD DRW	6.8L V-10	17,700 (f/g)
F-450 2WD DRW	6.0L V-8 TD	17,600 (v/f)
F-450 2WD DRW	6.0L V-8 TD	19,600 (f,z*)
F-450 4WD DRW	6.0L V-8 TD	17,300 (f)

F-450 4WD DRW	6.0L V-8 TD	19,300 (f,z*)
F-550 2WD DRW	6.8L V-10	18,000 (f/g)
F-550 4WD DRW	6.8L V-10	17,600 (f/g)
F-550 2WD DRW	6.0L V-8 TD	17,500 (f)
F-550 2WD DRW	6.0L V-8 TD	19,500 (f,z*)
F-550 4WD DRW	6.0L V-8 TD	17,200 (f)
F-550 4WD DRW	6.0L V-8 TD	19,200 (f,z*)

F-450, F-550 Super Duty SuperCab Chassis Cab Fifth-Wheel Towing, Automatic Transmission

F-450 2WD DRW	6.8L V-10	18,000 (f/g)
F-450 4WD DRW	6.8L V-10	17,700 (f/g)
F-450 2WD DRW	6.0L V-8 TD	17,600 (w/f)
F-450 2WD DRW	6.0L V-8 TD	21,600 (f,z*)
F-450 4WD DRW	6.0L V-8 TD	17,300 (w/f)
F-450 4WD DRW	6.0L V-8 TD	21,300 (f,z*)
F-550 2WD DRW	6.8L V-10	18,000 (f/g)
F-550 4WD DRW	6.8L V-10	17,700 (f/g)
F-550 2WD DRW	6.0L V-8 TD	17,600 (w/f)
F-550 2WD DRW	6.0L V-8 TD	24,600 (f,z*)
F-550 4WD DRW	6.0L V-8 TD	17,300 (w/f)
F-550 4WD DRW	6.0L V-8 TD	24,300 (f,z*)

F-450, F-550 Super Duty Crew Cab Chassis Cab Fifth-Wheel Towing, Manual Transmission

F-450 2WD DRW	6.8L V-10	17,800 (f/g)
F-450 4WD DRW	6.8L V-10	17,500 (f/g)
F-450 2WD DRW	6.0L V-8 TD	17,400 (w/f)
F-450 2WD DRW	6.0L V-8 TD	19,400 (f)
F-450 4WD DRW	6.0L V-8 TD	17,100 (w/f)
F-450 4WD DRW	6.0L V-8 TD	19,100 (f,z*)
F-550 2WD DRW	6.8L V-10	17,800 (f/g)
F-550 4WD DRW	6.8L V-10	17,400 (f/g)
F-550 2WD DRW	6.0L V-8 TD	17,300 (f)
F-550 2WD DRW	6.0L V-8 TD	19,300 (f,z*)
F-550 4WD DRW	6.0L V-8 TD	17,000 (f)
F-550 4WD DRW	6.0L V-8 TD	19,000 (f,z*)

F-450, F-550 Super Duty Crew Cab Chassis Cab Fifth-Wheel Towing, Automatic Transmission

F-450 2WD DRW	6.8L V-10	17,800 (f/g)
F-450 4WD DRW	6.8L V-10	17,500 (f/g)
F-450 2WD DRW	6.0L V-8 TD	17,400 (w/f)
F-450 2WD DRW	6.0L V-8 TD	21,400 (f,z*)
F-450 4WD DRW	6.0L V-8 TD	17,100 (w/f)
F-450 4WD DRW	6.0L V-8 TD	21,100 (f,z*)
F-550 2WD DRW	6.8L V-10	17,800 (f/g)
F-550 4WD DRW	6.8L V-10	17,400 (f/g)
F-550 2WD DRW	6.0L V-8 TD	17,400 (w/f)
F-550 2WD DRW	6.0L V-8 TD	24,400 (f,z*)
F-550 4WD DRW	6.0L V-8 TD	17,000 (w/f)
F-550 4WD DRW	6.0L V-8 TD	24,000 (f,z*)

2008 F-450, F-550 Super Duty, Conventional Towing, Automatic and Manual Transmissions

F-450 Crew Cab	6.4L V-8 TD	16,000 (all)
----------------	-------------	--------------

2008 F-450, F-550 Super Duty, Fifth-Wheel Towing, Automatic Transmission

F-450 Crew Cab 2WD	6.4L V-8 TD	20,500 (v)
F-450 Crew Cab 2WD	6.4L V-8 TD	24,500 (f)
F-450 Crew Cab 4WD	6.4L V-8 TD	20,000 (v)
F-450 Crew Cab 4WD	6.4L V-8 TD	24,000 (f)

2008 F-450, F-550 Super Duty, Fifth-Wheel Towing, Manual Transmission

F-450 Crew Cab 2WD	6.4L V-8 TD	18,500 (v)
F-450 Crew Cab 2WD	6.4L V-8 TD	19,500 (f)
F-450 Crew Cab 4WD	6.4L V-8 TD	18,000 (v)
F-450 Crew Cab 4WD	6.4L V-8 TD	19,000 (f)

Freestar, Freestyle

Freestar	4.2L V-6	3,500 (z)
Freestyle	3.0L V-6	2,000 (z)

Ranger

Ranger Reg Cab 2WD 6' Bed	2.3L I-4	2,240 (a,u)
Ranger Reg Cab 2WD 6' Bed	3.0L V-6	2,640 (m,s)
Ranger Reg Cab 2WD 6' Bed	3.0L V-6	2,600 (a,s)
Ranger Reg Cab 2WD 6' Bed	3.0L V-6	2,500 (m,u)
Ranger Reg Cab 2WD 6' Bed	3.0L V-6	2,420 (a,u)
Ranger Reg Cab 4WD 6' Bed	3.0L V-6	2,320 (m,u)
Ranger Reg Cab 4WD 6' Bed	3.0L V-6	2,300 (a,u)
Ranger Reg Cab 2WD 7' Bed	3.0L V-6	2,540 (a,s)
Ranger Reg Cab 2WD 7' Bed	4.0L V-6	6,000 (a,r)
Ranger Reg Cab 4WD 7' Bed	4.0L V-6	3,200 (m,u)
Ranger Reg Cab 4WD 7' Bed	4.0L V-6	5,640 (a,u)
Ranger SuperCab 2WD 6' Bed	3.0L V-6	2,460 (m,s)
Ranger SuperCab 2WD 6' Bed	3.0L V-6	2,420 (a,s)
Ranger SuperCab 2WD 6' Bed	3.0L V-6	2,340 (m,u)
Ranger SuperCab 2WD 6' Bed	3.0L V-6	2,280 (a,u)
Ranger SuperCab 2WD 6' Bed	4.0L V-6	3,400 (m,r)
Ranger SuperCab 2WD 6' Bed	4.0L V-6	5,860 (a,r)
Ranger SuperCab 4WD 6' Bed	4.0L V-6	3,080 (m,u)
Ranger SuperCab 4WD 6' Bed	4.0L V-6	5,560 (a,u)

HONDA

Vehicle	Engine	Tow Limit (Lb)
Odyssey	3.5L V-6	3,500 (z)
Pilot	3.5L V-6	3,500 (z)/ 4,500 (b,z)
Ridgeline	3.5L V-6	5,000 (z)

HUMMER

Vehicle	Engine	Tow Limit (Lb)
H2	6.0L V-8	6,700 (a,u)
H2 SUT	6.0L V-8	6,600 (a,u)
H3	3.7L I-5	2,000 (m)
H3	3.7L I-5	4,500 (a)

HYUNDAI

Vehicle	Engine	Tow Limit (Lb)
Entourage	3.8L V-6	3,500 (x)

Santa Fe	2.7L V-6	2,700 (x)
Santa Fe	3.3L V-6	3,500 (x,z)
Tuscon	2.7L V-6	2,000 (x)

INFINITI

Vehicle	Engine	Tow Limit (Lb)
FX35	3.5L V-6	3,500 (a)
FX45	4.5L V-8	3,500 (a)
QX56	5.6L V-8	9,000 (a,z)

ISUZU

Vehicle	Engine	Tow Limit (Lb)
Ascender 5-Passenger 2WD	4.2L I-6	5,300 (q,x,z)
Ascender 5-Passenger 2WD	4.2L I-6	5,800 (s,x,z)
Ascender 5-Passenger 4WD	4.2L I-6	5,200 (q,x,z)
Ascender 5-Passenger 4WD	4.2L I-6	5,700 (s,x,z)
Ascender 7-Passenger 2WD	4.2L V-6	4,900
Ascender 7-Passenger 4WD	4.2L V-6	4,700
Ascender 7-Passenger 2WD	5.3L V-8	5,900 (q,x,z)
Ascender 7-Passenger 4WD	5.3L V-8	5,700 (q,x,z)
Ascender 7-Passenger 2WD	5.3L V-8	5,900 (s,x,z)
Ascender 7-Passenger 4WD	5.3L V-8	5,700 (s,x,z)
I-290 2WD	2.9L I-4	3,100 (a,s)
I-290 2WD	2.9L I-4	2,100 (m,s)
I-370 4WD	3.7L I-5	4,000 (a,s)

JEEP

Vehicle	Engine	Tow Limit (Lb)
Commander 2WD	3.7L V-6	3,500 (a,z)
Commander 2WD	4.7L V-8	6,500 (a,s,z)
Commander 2WD	5.7L V-8	7,400 (a,s,z)
Commander 4WD	3.7L V-6	3,500 (a,r,z)
Commander 4WD	4.7L V-8	6,500 (a,s,z)
Commander 4WD	5.7L V-8	7,200 (a,s,z)
Grand Cherokee 2WD	3.0L V-6	7,400 (a,s,z)
Grand Cherokee 2WD	3.7L V-6	3,500 (a,z)
Grand Cherokee 2WD	4.7L V-8	6,500 (a,s,z)
Grand Cherokee 4WD	3.0L V-6	7,200 (a,s,z)
Grand Cherokee 4WD	3.7L V-6	3,500 (a,r,z)
Grand Cherokee 4WD	4.7L V-8	6,500 (a,s,z)
Grand Cherokee 4WD	5.7L V-8	7,200 (a,s,z)
Grand Cherokee SRT8	6.1L V-8	3,500 (a,s,z)
Liberty 2WD/4WD	3.7L V-6	3,500 (m,r,z)
Liberty 2WD/4WD	3.7L V-6	5,000 (a,s,z)
Wrangler 2 Door 4WD	3.8L V-6	2,000 (a or m,u)
Wrangler Unlimited 4 Door 2WD	3.8L V-6	3,500 (a or m,u)
Wrangler Unlimited 4 Door 4WD	3.8L V-6	3,500 (a or m,u)

KIA

Vehicle	Engine	Tow Limit (Lb)
Sedona	3.8L V-6	3,500 (x)
Sorento	3.8L V-6	5,000 (x)
Sportage	2.7L V-6	2,000 (x)

LAND ROVER

Vehicle	Engine	Tow Limit (Lb)
Range Rover	4.4L V-8	7,700 (x)
Range Rover Sport	4.4L V-8	7,700 (x)
LR3	4.4L V-8	7,700 (x)

LEXUS

Vehicle	Engine	Tow Limit (Lb)
RX 350	3.5L V-6	3,500 (z)
RX 400	3.5L V-6	3,500 (z)
GX 470	4.7L V-8	6,500 (z)
LX 470	4.7L V-8	6,500 (z)

LINCOLN

Vehicle	Engine	Tow Limit (Lb)
Mark LT 2WD	5.4L V-8	5,316 (s,x)
Mark LT 4WD	5.4L V-8	5,602 (s,z)
Navigator 2WD	5.4L V-8	8,950 (s,z)
Navigator 4WD	5.4L V-8	8,750 (s,z)

MAZDA

Vehicle	Engine	Tow Limit (Lb)
B2300 Reg Cab 2WD	2.3L I-4	2,260 (a,u)
B3000 Reg Cab 2WD	3.0L V-6	2,540 (m,u)
B3000 Reg Cab 2WD	3.0L V-6	2,480 (a,u)
B3000 Cab Plus 2WD	3.0L V-6	2,480 (m,s)
B3000 Cab Plus 2WD	3.0L V-6	2,380 (m,u)
B3000 Cab Plus 2WD	3.0L V-6	2,440 (a,s)
B3000 Cab Plus 2WD	3.0L V-6	2,340 (a,u)
B4000 Cab Plus 2WD/4WD	4.0L V-6	3,120 (m,u)
B4000 Cab Plus 2WD/4WD	4.0L V-6	5,580 (a,u)
CX-7	2.3L I-4	2,000
CX-9	3.5L V-6	3,500 (z)
Tribute	3.0L V-6	3,500 (z)

MERCEDES-BENZ

Vehicle	Engine	Tow Limit (Lb)
ML 350	3.2L V-6	5,000 (w,z)
ML 500	5.0L V-8	5,000 (w,z)
G 55 AMG	5.5L V-8	7,000 (w,z)
G 500	5.0L V-8	7,000 (w,z)

MERCURY

Vehicle	Engine	Tow Limit (Lb)
Mariner	3.0L V-6	3,500 (z)
Monterey	4.2L V-6	3,500 (z)
Mountaineer 2WD	4.0L V-6	5,290 (z)
Mountaineer 2WD	4.6L V-8	7,220 (z)
Mountaineer AWD	4.0L V-6	5,200 (z)
Mountaineer AWD	4.6L V-8	7,050 (z)
Mark X	3.5L V-6	3,500 (z)

MITSUBISHI		
Vehicle	Engine	Tow Limit (Lb)
Endeavor AWD	3.8L V-6	3,500 (x)
Outlander	3.7L V-6	3,500
Raider	3.7L V-6	3,500

NISSAN		
Vehicle	Engine	Tow Limit (Lb)
Frontier King Cab 2WD	4.0L V-6	6,500 (m,z)
Frontier King Cab 4WD	4.0L V-6	6,300 (m,z)
Frontier Crew Cab 2WD	4.0L V-6	6,300 (a,z)
Frontier Crew Cab 4WD	4.0L V-6	6,100 (a,z)
Xterra 2WD/4WD	4.0L V-6	5,000 (a,z)
Pathfinder 2WD/4WD	4.0L V-6	6,000 (a,z)
Armada 2WD	5.6L V-8	9,100 (a,z)
Armada 4WD	5.6L V-8	9,000 (a,z)
Titan King Cab 2WD/4WD	5.6L V-8	9,500 (a,z)
Titan Crew Cab 2WD/4WD	5.6L V-8	9,400 (a,z)

PONTIAC		
Vehicle	Engine	Tow Limit (Lb)
Montana SV-6	3.5L V-6	3,500 (z)
Montana SV-6	3.9L V-6	TBD (y)
Torrent	3.4L V-6	3,500 (z)

PORSCHE		
Vehicle	Engine	Tow Limit (Lb)
Cayenne	All	7,716

SAAB		
Vehicle	Engine	Tow Limit (Lb)
9-3 Sport Sedan	2.0L I-4 TC	3,500 (x)
9-3 Convertible	2.0L I-4 TC	3,500 (x)
9-5 Sedan	2.3L I-4 TC	3,500 (x)
9-5 Sport Wagon	2.3L I-4 TC	3,500 (x)
9-7X SUV AWD	4.2L I-6	5,600 (x)
9-7X SUV AWD	5.3L V-8	6,500 (x)

SATURN		
Vehicle	Engine	Tow Limit (Lb)
Relay	3.9L V-6	3,500 (x)
Outlook	3.6L V-6	4,500 (z)
Vue	3.5L V-6	3,500 (x)

SUBARU		
Vehicle	Engine	Tow Limit (Lb)
B9 Tribeca	3.0L H-6	3,500 (z)
Forester	All	2,400
Impreza	2.5L H-4	2,000
Legacy	All	2,700
Outback	2.5L H-4	2,700
Outback	3.0L H-4	3,000

SUZUKI		
Grand Vitara	2.7L V-6	3,000
XL7 2WD/4WD	3.5L V-6	3,500

TOYOTA		
Vehicle	Engine	Tow Limit (Lb)
FJ Cruiser	4.0L V-6	5,000
Highlander 2WD/4WD	2.4L I-4	3,000 (z)
Highlander 2WD/4WD	3.3L V-6	3,500 (z)
Land Cruiser	4.7L V-8	6,500
RAV4	3.5L V-6	3,400 (z)
Sienna	3.3L V-6	3,500
Sequoia 2WD	4.7L V-8	6,500
Sequoia 4WD	4.7L V-8	6,200
Tacoma Reg Cab 2WD/4WD	2.7L I-4	3,500 (z)
Tacoma Access Cab 2WD/4WD	2.7L I-4	3,500 (z)
Tacoma Access Cab 4WD	4.0L V-6	6,500 (z)
Tacoma Double Cab	2.7L I-4	3,500 (z)
Tacoma Double Cab	4.0L V-6	6,500 (z)
Tundra Reg Cab 2WD	4.0L V-6	TBD (y)
Tundra Reg Cab 2WD	4.7L V-8	TBD (y)
Tundra Reg Cab 2WD	5.7L V-8	10,000+ (w)
Tundra Reg Cab 4WD	4.0L V-6	TBD (y)
Tundra Reg Cab 4WD	4.7L V-8	TBD (y)
Tundra Reg Cab 4WD	5.7L V-8	10,000+ (w)
Tundra Double Cab 2WD	4.0L V-6	TBD (y)
Tundra Double Cab 2WD	4.7L V-8	TBD (y)
Tundra Double Cab 2WD	5.7L V-8	10,000+ (w)
Tundra Double Cab 4WD	4.0L V-6	TBD (y)
Tundra Double Cab 4WD	4.7L V-8	TBD (y)
Tundra Double Cab 4WD	5.7L V-8	10,000+ (w)
Tundra Huge Cab 2WD	4.0L V-6	TBD (y)
Tundra Huge Cab 2WD	4.7L V-8	TBD (y)
Tundra Huge Cab 2WD	5.7L V-8	10,000+ (w)
Tundra Huge Cab 4WD	4.0L V-6	TBD (y)
Tundra Huge Cab 4WD	4.7L V-8	TBD (y)
Tundra Huge Cab 4WD	5.7L V-8	10,000+ (w)
4Runner 2WD/4WD	4.0L V-6	5,000
4Runner 2WD	4.7L V-8	7,300 (z)
4Runner 4WD	4.7L V-8	7,000 (z)

VOLKSWAGEN		
Vehicle	Engine	Tow Limit (Lb)
Touareg 4WD	All	7,716 (x)

VOLVO		
Vehicle	Engine	Tow Limit (Lb)
S 60 2WD/AWD	All	3,300
S 80 2WD/AWD	All	3,300
V 50 2WD/AWD	All	2,000
V 70	All	3,300
XC 70 AWD	2.5L I-5 TC	3,300
XC 90	All	5,000